

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6347379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:44
L2	3	"6704880".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:44
L3	2	"5801585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:45
L4	2	"6163044".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:45
L5	2	"6333874".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:45
L6	2	"6031782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:46
L7	2	"6069519".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:46
L8	2	"5511203".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:46
L9	2	"5481731".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:47
L10	2	"5761715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:47

L11	2	"5581500".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:47
L12	2	"5189647".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:48
L13	2	"5712589".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:48
L14	2	"5970007".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:48
L15	2	"5530932".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:49
L16	2	"6552601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:49
L17	2	"6333571".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:52
L18	2	"5656946".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:53
L19	2	"6052789".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:54
L20	2	"5632038".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:54

L21	2	"5715465".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:55
L22	21	(US-6347379-\$ or US-6704880-\$ or US-5801585-\$ or US-6163044-\$ or US-6333874-\$ or US-6031782-\$ or US-6069519-\$ or US-5511203-\$ or US-5481731-\$ or US-5761715-\$ or US-5581500-\$ or US-5189647-\$ or US-5712589-\$ or US-5970007-\$ or US-5530932-\$ or US-6552601-\$ or US-6333571-\$ or US-5656946-\$ or US-6052789-\$ or US-5632038-\$ or US-5715465-\$).did.	USPAT	OR	OFF	2005/06/23 09:25
L23	11	22 and ((soft adj error adj rate) or SER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:12
L24	2	22 and (soft adj error adj rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:32
L25	7	22 and ((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:12
L26	0	25 and ((data or information or bit\$1) near2 error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:48
L27	0	22 and ((data or information or bit\$1) near2 error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:49
L28	2	22 and ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:51
L29	1	25 and ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:14

L30	50	(Xia and Dai).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:53
L31	11	30 and ((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:21
L32	2	31 and ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 09:54
L33	15922	((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:12
L34	303	33 same ((soft adj error adj rate) or SER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:13
L35	4	33 same (soft adj error adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:13
L36	439	33 same ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:14
L37	229	33 with ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:14
L38	31	36 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:42
L39	17	37 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:19

L40	4	36 same (low near2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:24
L41	3	37 with (low near2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:17
L42	18617	(reduc\$4 or decreas\$3 or lower\$3) near6 (leakage adj current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:38
L43	12	42 same ((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:21
L44	1	42 with ((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:21
L45	443	42 same (low near2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:24
L46	170	42 with (low near2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:24
L47	5	45 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:39
L48	0	46 with cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:25
L49	378	(reduc\$4 or decreas\$3 or lower\$3 or avoid\$3 or prevent\$3) near6 (soft adj error adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:39

L50	11	49 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:40
L51	5	49 with cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:43
L52	23	("5058116").URPN.	USPAT	OR	OFF	2005/06/23 10:40
L53	7	50 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:42
L54	1	51 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 10:43
L55	11	("20010038567" "4725945" "5544306" "5809528" "6018763" "6081872" "6161208" "6178479" "6205076" "6333883" "6545936").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 10:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15922	((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:35
L2	439	L1 same ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:41
L3	31	L2 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L4	2	L3 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L5	1	L3 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:40
L6	1	L3 and 711/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L7	1	L3 and 711/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:37
L8	2	(soft adj error adj rate\$1) and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:39
L9	4	(soft adj error adj rate\$1) and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:43
L10	0	L3 and 713/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:41

L11	0	L3 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:41
L12	0	L3 and 713/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:41
L13	229	L1 with ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:41
L14	17	L13 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L15	0	L14 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L16	1	L14 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L17	0	L14 and 713/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L18	0	L14 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L19	0	L14 and 713/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:42
L20	1	L14 and 711/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:43

L21	1	L14 and 711/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:43
L22	0	(soft adj error adj rate\$1) and 713/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:43
L23	2	(soft adj error adj rate\$1) and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:44
L24	1	(soft adj error adj rate\$1) and 713/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:45
L25	0	(soft adj error adj rate\$1) and 711/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:45
L26	0	(soft adj error adj rate\$1) and 711/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:45

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15922	((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:18
L2	439	L1 same ((data or information or bit\$1) near3 (error\$1 or integrity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:17
L3	0	L2 and 395/750.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:16
L4	0	L1 and 395/750.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:16
L5	0	(soft adj error adj rate\$1) and 395/750.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:16
L6	359	((data or information or bit\$1) near3 (error\$1 or integrity)) and 395/750	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:17
L7	136	6 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:18
L8	116	7 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:17
L9	27	6 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:20
L10	21	9 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	15922	((flush\$3 or clear\$3 or empty\$3 or maintain\$3 or preserv\$3 or keep\$3 or sustain\$3 or retain\$3) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:41
L9	378	(reduc\$4 or decreas\$3 or lower\$3 or avoid\$3 or prevent\$3) near6 (soft adj error adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:41
L10	4	L8 same L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:41
L11	189	8 same ((data or information or bit\$1) near3 error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:42
L12	56	8 with ((data or information or bit\$1) near3 error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:43
L13	11	11.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:43
L14	9	12.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 12:44